Issues

#	Project	Tracker	Status	Priority	Subject	Assignee	Updated
12915	Recycler BPM	Bug	Assigned	High	Missing first injection and other odd behavior with 6+6 slip stacking state	John Diamond	06/27/2016 02:23 PM
12805	VME BPM	Bug	Resolved	High	SY BPMs won't boot	John Diamond	05/27/2016 02:19 PM
8945	Image Tool	Bug	Accepted	High	Error on One-Shot Acquisition	John Diamond	06/01/2015 04:55 PM
8273	Image Tool	Bug	Resolved	High	Picture Stops Updating	John Diamond	05/15/2015 02:06 PM
8452	Image Tool	Bug	Resolved	High	Input is not in the .gz format	John Diamond	05/12/2015 04:21 PM
23796	VME Intensity Monitor	Task	Assigned	Normal	E:NUMIPWR	John Diamond	12/23/2019 12:23 PM
22552	adinstbpm	Feature	New	Normal	Support displaying data in gnuplot	John Diamond	05/08/2019 02:55 PM
22551	adinstbpm	Feature	New	Normal	Support displaying bpmd broadcasts	John Diamond	05/08/2019 02:55 PM
22550	adinstbpm	Milestone	New	Normal	Interactive bpmcli	John Diamond	05/08/2019 02:55 PM
22549	adinstbpm	Task	New	Normal	Merge iota_stable, booster_stable	John Diamond	05/08/2019 02:53 PM
22498	adinstbpm	Milestone	New	Normal	IPC to broadcast events from bpmd	John Diamond	05/08/2019 02:53 PM
20663	adinstbpm	Task	Work in progress	Normal	Separate IOTA ACNET code from BoosterBPMACNET.C and BoosterCrateACNET.C	John Diamond	10/17/2018 10:59 AM
17345	VME Intensity Monitor	Milestone	New	Normal	Comission M40TOR front end	John Diamond	10/16/2018 10:24 AM
20352	adinstbpm	Task	Resolved	Normal	Startup despite missing timing module	John Diamond	09/07/2018 09:19 AM
20540	adinstbpm	Milestone	New	Normal	Booster BPM deployment	John Diamond	08/28/2018 09:29 PM
20705	adinstbpm	Task	Resolved	Normal	Change node name for all BBPM24 devices	John Diamond	08/28/2018 09:29 PM
20704	adinstbpm	Task	Resolved	Normal	Change node name for all BBPM18 devices	John Diamond	08/28/2018 08:05 PM
20703	adinstbpm	Task	Resolved	Normal	Change node name for all BBPM12 devices	John Diamond	08/28/2018 06:37 PM
20694	adinstbpm	Task	Resolved	Normal	Change node name for all BBPM21 devices	John Diamond	08/28/2018 12:11 PM
20693	adinstbpm	Task	Resolved	Normal	Change node name for all BBPM06 devices	John Diamond	08/28/2018 10:02 AM
20683	adinstbpm	Task	Resolved	Normal	Change node name for all BBPM15 devices	John Diamond	08/28/2018 10:01 AM
20377	adinstbpm	Task	Resolved	Normal	IOTA State Machine	John Diamond	08/22/2018 09:30 PM
20356	adinstbpm	Task	Resolved	Normal	Request ethernet connection for crate and CPU	John Diamond	08/22/2018 09:28 PM
20351	adinstbpm	Feature	Resolved	Normal	Support for 4-channel 2-dimensional BPMs	John Diamond	08/22/2018 08:48 PM
20652	adinstbpm	Task	Work in progress	Normal	Request ACNET node assignment for BBPL24	John Diamond	08/21/2018 08:22 AM
20651	adinstbpm	Task	Work in progress	Normal	Request ACNET node assignment for BBPL18	John Diamond	08/21/2018 08:22 AM
20650	adinstbpm	Task	Work in progress	Normal	Request ACNET node assignment for BBPL12	John Diamond	08/21/2018 08:22 AM
20649	adinstbpm	Task	Work in progress	Normal	Request ACNET node assignment for BBPL15	John Diamond	08/21/2018 08:22 AM
20557	adinstbpm	Task	Assigned	Normal	Request ethernet connection for bbpl24 and bbpl24-crate	John Diamond	08/07/2018 06:35 PM
20556	adinstbpm	Task	Assigned	Normal	Request ethernet connection for bbpl18 and bbpl18-create	John Diamond	08/07/2018 06:25 PM

#	Project	Tracker	Status	Priority	Subject	Assignee	Updated
20555	adinstbpm	Task	Assigned	Normal	Request ethernet connection for bbpl12 and bbpl12-crate	John Diamond	08/07/2018 06:17 PM
20543	adinstbpm	Task	Assigned	Normal	Request ethernet connection for bbpl15 and bbpl15-crate	John Diamond	08/07/2018 06:13 PM
20552	Instrumentation Drivers	Task	Work in progress	Normal	Channel level delays for IOTA BPM DAQ	John Diamond	08/07/2018 02:40 PM
20541	adinstbpm	Task	Work in progress	Normal	Gather crate and CPU MAC addresses for ethernet connections	John Diamond	08/06/2018 11:49 AM
20533	Instrumentation Drivers	Milestone	New	Normal	Commission IOTATG	John Diamond	08/06/2018 11:17 AM
20539	Instrumentation Drivers	Task	Assigned	Normal	Verify ACNET devices and operation of IOTATG	John Diamond	08/06/2018 11:17 AM
20538	Instrumentation Drivers	Task	Assigned	Normal	Create ACNET devices for IOTATG	John Diamond	08/06/2018 11:16 AM
20537	Instrumentation Drivers	Task	Assigned	Normal	Configure startup parameters for IOTATG	John Diamond	08/06/2018 11:16 AM
20536	Instrumentation Drivers	Task	Assigned	Normal	Create startup script for IOTATG	John Diamond	08/06/2018 11:15 AM
20535	Instrumentation Drivers	Task	Assigned	Normal	Request ACNET node assignment for IOTATG	John Diamond	08/06/2018 11:14 AM
20534	Instrumentation Drivers	Task	Work in progress	Normal	Request ethernet connection for IOTATG	John Diamond	08/06/2018 11:14 AM
20358	adinstbpm	Task	Resolved	Normal	Request ACNET node assignment	John Diamond	07/31/2018 11:32 AM
20483	adinstbpm	Task	Resolved	Normal	Create separate "stable" branches for Booster and IOTA BPMs	John Diamond	07/30/2018 03:21 PM
20473	adinstbpm	Bug	Resolved	Normal	Control message queue is not destroyed on shutdown	John Diamond	07/28/2018 08:27 PM
20474	adinstbpm	Task	Resolved	Normal	Enter BPMs into bpmd.conf	John Diamond	07/28/2018 07:52 AM
20354	adinstbpm	Task	Resolved	Normal	Adapter for IOTA DAQ module	John Diamond	07/26/2018 11:36 AM
20375	Instrumentation Drivers	Milestone	Assigned	Normal	Device driver for IOTA DAQ module	John Diamond	07/25/2018 11:30 AM
20439	Instrumentation Drivers	Task	Work in progress	Normal	Implement DMA readouts for Raw and DSP data regions	John Diamond	07/25/2018 11:30 AM
20437	adinstbpm	Task	Assigned	Normal	Functional specification document	John Diamond	07/24/2018 04:14 PM
20436	drvgen	Task	Work in progress	Normal	Make the VME A16 scanning increment configurable	John Diamond	07/24/2018 04:06 PM
20432	drvgen	Bug	Work in progress	Normal	Kernel-level xxxmod_device_get() routine has bbpm250x12 hard-coded	John Diamond	07/24/2018 03:00 PM
20376	Instrumentation Drivers	Task	Resolved	Normal	drvgen specification for IOTABPM250x8	John Diamond	07/23/2018 03:12 PM
20408	drvgen	Bug	Resolved	Normal	runtime_error in generated getDeviceInSlot() does not include the driver name	John Diamond	07/23/2018 11:27 AM
20371	drvgen	Bug	Assigned	Normal	TSI-148 bridge does not support a master window with multiple data transfer modes	John Diamond	07/23/2018 11:07 AM
20402	drvgen	Bug	Resolved	Normal	Constants generated for bitfields and enums can cause redeclaration	John Diamond	07/23/2018 10:30 AM
20401	drvgen	Feature	Assigned	Normal	A24 Data Regions Support	John Diamond	07/23/2018 09:16 AM
20400	drvgen	Feature	Assigned	Normal	A24 Registers Support	John Diamond	07/23/2018 09:16 AM
20353	adinstbpm	Task	Work in progress	Normal	Adapter for NML timing module	John Diamond	07/20/2018 09:33 AM
20360	Instrumentation Drivers	Task	Work in progress	Normal	drvgen specification for NML timing module	John Diamond	07/19/2018 02:42 PM
18636	adinstbpm	Feature	Assigned	Normal	bpmcli command to reload bpmd.conf	John Diamond	12/29/2017 11:08 AM
18436	adinstbpm	Task	Work in progress	Normal	x86 support for Technobox XMC GigE adapter	John Diamond	11/30/2017 09:41 AM

#	Project	Tracker	Status	Priority	Subject	Assignee	Updated
18342	Linux on MVME8100	Milestone	Assigned	Normal	Network connection for booster BPM test stand	John Diamond	11/20/2017 09:49 AM
18341	Linux on MVME8100	Task	Assigned	Normal	Setup build area	John Diamond	11/20/2017 09:47 AM
18324	adinstbpm	Task	Resolved	Normal	Implement polynomial scaling	John Diamond	11/17/2017 02:40 PM
17720	adinstbpm	Task	Work in progress	Normal	Booster BPM ACNET Interface	John Diamond	11/14/2017 04:07 PM
17734	adinstbpm	Task	Work in progress	Normal	ACNET device BPM Orbit Correction Device (0x0022)	John Diamond	11/14/2017 04:07 PM
17974	adinstbpm	Task	Resolved	Normal	Create ACNET devices for B38 and B40	John Diamond	11/10/2017 02:54 PM
17721	adinstbpm	Task	Work in progress	Normal	ACNET device BPM Numbers (0x0017)	John Diamond	11/10/2017 08:54 AM
17935	adinstbpm	Task	Work in progress	Normal	Booster BPM State Machine	John Diamond	11/09/2017 03:09 PM
18132	adinstbpm	Task	Work in progress	Normal	bpmcli commands for enabling/disabling state machine	John Diamond	11/09/2017 03:09 PM
18149	adinstbpm	Task	Resolved	Normal	Implement Booster BPM scaling	John Diamond	11/08/2017 04:46 PM
18151	adinstbpm	Task	Work in progress	Normal	Configure BPMs for test stand at Booster location 21	John Diamond	11/08/2017 01:41 PM
17998	adinstbpm	Milestone	New	Normal	Improvements to bpmcli	John Diamond	11/07/2017 09:25 AM
18049	adinstbpm	Task	Resolved	Normal	Refactor bpmcli 'show' command to be a CLICommand	John Diamond	11/07/2017 09:25 AM
18044	adinstbpm	Task	Resolved	Normal	Refactor bpmcli 'abort' command to be a CLICommand	John Diamond	10/30/2017 03:21 PM
18050	adinstbpm	Task	Resolved	Normal	Refactor bpmcli 'shutdown' command to be a CLICommand	John Diamond	10/30/2017 03:05 PM
18048	adinstbpm	Task	Resolved	Normal	Refactor bpmcli 'readout' command to be a CLICommand	John Diamond	10/30/2017 02:03 PM
18045	adinstbpm	Task	Resolved	Normal	Refactor bpmcli 'arm' command to be a CLICommand	John Diamond	10/30/2017 09:51 AM
18055	adinstbpm	Task	Resolved	Normal	No beam threshold	John Diamond	10/29/2017 09:58 AM
18037	adinstbpm	Feature	Resolved	Normal	Support flagging that data could not be read when a DAQ module is missing/failed	John Diamond	10/29/2017 09:47 AM
17999	adinstbpm	Task	Resolved	Normal	Refactor to use getopt	John Diamond	10/26/2017 04:22 PM
18000	adinstbpm	Task	Resolved	Normal	Support BPM lists in dump commands	John Diamond	10/26/2017 04:19 PM
18009	adinstbpm	Task	Resolved	Normal	Driver for Booster BPM transition board	John Diamond	10/23/2017 03:57 PM
17975	adinstbpm	Task	Work in progress	Normal	Test B38 and B40	John Diamond	10/20/2017 01:58 PM
17737	adinstbpm	Task	Work in progress	Normal	bpmd error facility	John Diamond	10/20/2017 01:56 PM
17730	adinstbpm	Task	Work in progress	Normal	ACNET device BPM Orbit Group (0x001e)	John Diamond	10/19/2017 03:18 PM
17729	adinstbpm	Task	Work in progress	Normal	ACNET device BPM Average Position (Snapshot) Orbit (0x0014)	John Diamond	10/19/2017 02:53 PM
17724	adinstbpm	Task	Work in progress	Normal	ACNET device BPM Turn-by-Turn Scaled Positon	John Diamond	10/19/2017 02:40 PM
17723	adinstbpm	Task	Resolved	Normal	ACNET device BPM Digitizer Raw Data (0x0013)	John Diamond	10/18/2017 08:18 PM
17722	adinstbpm	Task	Resolved	Normal	ACNET device BPM Offsets (0x0016)	John Diamond	10/18/2017 08:17 PM
17731	adinstbpm	Task	Resolved	Normal	ACNET device BPM Closed Orbit Circular Buffer (0x0010)	John Diamond	10/18/2017 08:14 PM
17726	adinstbpm	Task	Resolved	Normal	ACNET device BPM Single Turn Scaled Position Buffer (0x0020)	John Diamond	10/18/2017 08:12 PM
17725	adinstbpm	Task	Resolved	Normal	ACNET device BPM Single Turn Scaled Position (0x001f)	John Diamond	10/18/2017 08:12 PM

#	Project	Tracker	Status	Priority	Subject	Assignee	Updated
17727	adinstbpm	Task	Resolved	Normal	ACNET device BPM Turn-by-Turn Extra Inputs	John Diamond	10/18/2017 07:45 PM
17844	adinstbpm	Task	Resolved	Normal	Locking mechanism for shared memory objects	John Diamond	10/10/2017 01:40 PM
17771	adinstbpm	Feature	Work in progress	Normal	Support for flash-turn and flash-orbit measurements	John Diamond	10/06/2017 01:02 PM
17776	adinstbpm	Feature	New	Normal	Support for DMA transfers from DAQ modules	John Diamond	09/26/2017 11:17 AM
17755	adinstbpm	Task	Work in progress	Normal	Verify DAQ operation with at least 4 modules	John Diamond	09/21/2017 10:54 AM
17352	VME Intensity Monitor	Task	Assigned	Normal	Configure startup script	John Diamond	08/07/2017 02:49 PM
17351	VME Intensity Monitor	Task	Resolved	Normal	Request ACNET node ID assignment for M40TOR	John Diamond	08/07/2017 02:44 PM
17350	VME Intensity Monitor	Task	Resolved	Normal	Configure M40TOR CPU board	John Diamond	08/07/2017 02:43 PM
17344	VME Intensity Monitor	Task	Assigned	Normal	ACNET devices for new scrapers at PIP2IT	John Diamond	08/03/2017 01:52 PM
16531	VME Intensity Monitor	Task	Work in progress	Normal	Install hardware for NMLTR2	John Diamond	07/12/2017 11:09 AM
16532	VME Intensity Monitor	Task	Work in progress	Normal	Install hardware for NMLTR3	John Diamond	07/11/2017 07:22 PM
16533	VME Intensity Monitor	Task	Work in progress	Normal	Create ACNET devices for new toroids	John Diamond	07/11/2017 07:18 PM
16710	Instrumentation Drivers	Milestone	Assigned	Normal	Commission nmltrg	John Diamond	07/10/2017 10:39 AM
16784	VME Intensity Monitor	Task	Resolved	Normal	Commission new scrapers for PXIE	John Diamond	06/08/2017 10:50 AM
16713	Instrumentation Drivers	Task	Accepted	Normal	Verify operating of ACNET devices and both timing modules	John Diamond	05/30/2017 11:30 AM
16537	Instrumentation Drivers	Task	New	Normal	Create drvgen register map	John Diamond	05/15/2017 02:10 PM
16045	VME Intensity Monitor	Task	Resolved	Normal	Configure a cycle device for R:TOR703 g-2 operation	John Diamond	04/03/2017 01:59 PM
16050	VME Intensity Monitor	Feature	Assigned	Normal	Build support into Cycle Devices that can support the two groups of 8 for g-2 transfers	John Diamond	04/03/2017 01:58 PM
16023	VME Intensity Monitor	Task	Assigned	Normal	Configure R:TOR703 for g-2 operation	John Diamond	04/02/2017 11:42 AM
16009	VME BPM	Bug	Resolved	Normal	Attenuation tables won't initialize correctly on startup	John Diamond	03/28/2017 03:49 PM
15979	VME Intensity Monitor	Task	Work in progress	Normal	Create devices for Ring Pickup study at PXIE	John Diamond	03/28/2017 02:26 PM
15296	VME BPM	Task	Assigned	Normal	BBM Interface	John Diamond	01/27/2017 03:00 PM
15293	VME BPM	Necessary Maintenance	Resolved	Normal	Replace SBC at F4	John Diamond	01/24/2017 02:05 PM
15051	VME Intensity Monitor	Task	New	Normal	Request for I:13SUM1	John Diamond	01/09/2017 02:20 PM
14696	VME Intensity Monitor	Task	Assigned	Normal	Support for PXIE digitizer firmware ABC02	John Diamond	12/05/2016 04:03 PM
14512	VME Intensity Monitor	Task	Assigned	Normal	Support for Rich's MPS transmission loss task	John Diamond	12/01/2016 03:30 PM
14446	VME Intensity Monitor	Task	Work in progress	Normal	New scale factors for PXIE Ring Pickups 1 & 2	John Diamond	11/10/2016 11:14 AM
14359	VME Intensity Monitor	Task	Assigned	Normal	Write integrated pulse readings to file	John Diamond	11/03/2016 09:56 AM
14283	VME Intensity Monitor	Task	Assigned	Normal	Configure pulse width tracking for PXIE scrappers	John Diamond	10/26/2016 04:42 PM
14280	VME Intensity Monitor	Task	Assigned	Normal	BBM for R:TOR703	John Diamond	10/26/2016 10:42 AM
13572	VME Intensity Monitor	Feature	Assigned	Normal	ACNET device support for new MPS features in ABB0F firmware	John Diamond	10/25/2016 03:12 PM
13918	VME Intensity Monitor	Task	Assigned	Normal	Configure second ring pickup for PXIE	John Diamond	10/07/2016 01:02 PM

#	Project	Tracker	Status	Priority	Subject	Assignee	Updated
13962	VME Intensity Monitor	Task	Assigned	Normal	ADC configuration commands for PXIE Toroids	John Diamond	09/30/2016 10:23 AM
13919	VME Intensity Monitor	Task	Assigned	Normal	Fix scaling for ring pick MPS thresholds	John Diamond	09/27/2016 10:47 PM
13694	VME Intensity Monitor	Feature	Assigned	Normal	Support tracking the chopper's pulse width with a static amount of extra time	John Diamond	08/26/2016 01:38 PM
13070	VME Intensity Monitor	Task	Assigned	Normal	Support different DcctDrv firmware running on ANUB and MIDCCT	John Diamond	06/29/2016 01:59 PM
12738	rbpm	Milestone	New	Normal	Commission Muon Houses S60, F1 and F23	John Diamond	06/02/2016 01:09 PM
12768	rbpm	Task	Assigned	Normal	ACNET devices for ubpm23 BPMs	John Diamond	06/02/2016 01:09 PM
12809	VME BPM	Bug	New	Normal	F4 node won't boot	John Diamond	05/27/2016 02:20 PM
12791	rbpm	Feature	Assigned	Normal	Support 53MHz, 53MHz stacked and 2.5MHz transition board modes	John Diamond	05/26/2016 01:06 PM
12763	Instrumentation Drivers	Bug	Accepted	Normal	Raw data device does not support channels	John Diamond	05/25/2016 12:17 PM
12753	Instrumentation Drivers	Bug	Resolved	Normal	80MHz board driver could be a little more forgiving of mistakes.	John Diamond	05/23/2016 02:38 PM
12754	Instrumentation Drivers	Bug	New	Normal	slowness of init of 80MHz driver ??	John Diamond	05/23/2016 02:18 PM
12750	rbpm	Task	Assigned	Normal	Configure startup scripts for ubpm6s, ubpmf1 and ubpmf23	John Diamond	05/23/2016 11:28 AM
12739	rbpm	Task	New	Normal	Network connections for new muon BPM nodes	John Diamond	05/20/2016 02:17 PM
12632	VME Intensity Monitor	Feature	Resolved	Normal	Support new digitizer gate mode for ASTA	John Diamond	05/13/2016 12:45 PM
12418	inst-bpm	Task	New	Normal	Boot flash for PXIE BPM test stand node	John Diamond	04/29/2016 11:14 AM
12417	inst-bpm	Task	Assigned	Normal	Network connection and kerberos principles for PXIE BPM system	John Diamond	04/29/2016 10:23 AM
12390	Instrumentation Drivers	Feature	Assigned	Normal	ACNET interface for CMTFInterlocksADC	John Diamond	04/26/2016 07:50 PM
12353	VME Intensity Monitor	Task	Assigned	Normal	Rename ANUB	John Diamond	04/21/2016 10:46 AM
12352	VME Intensity Monitor	Milestone	Assigned	Normal	Transition operational Recycler DCCT devices to ANUB	John Diamond	04/18/2016 02:36 PM
11838	VME BPM	Milestone	New	Normal	Release 201603A	John Diamond	03/24/2016 04:01 PM
11891	VME Intensity Monitor	Task	Assigned	Normal	Support Alexei's changes to the DCCT firmware	John Diamond	03/15/2016 12:21 PM
11849	VME Intensity Monitor	Feature	Assigned	Normal	TSG Support	John Diamond	03/15/2016 12:21 PM
11946	VME Intensity Monitor	Bug	New	Normal	Scale Factor EVENT OVERLAP Error Message	John Diamond	03/11/2016 03:44 PM
11902	Instrumentation Drivers	Milestone	New	Normal	Driver for VFRT-VUCD TSG	John Diamond	03/05/2016 10:01 PM
11895	Instrumentation Drivers	Task	Assigned	Normal	DCCT ADC Driver	John Diamond	03/04/2016 10:28 AM
11520	VME Intensity Monitor	Task	Assigned	Normal	Create new sum devices	John Diamond	02/28/2016 11:31 AM
10890	VME BPM	Task	Assigned	Normal	Upgrade ClassACNet/Mooc	John Diamond	02/27/2016 09:05 PM
9396	VME Intensity Monitor	Feature	Assigned	Normal	Beam Energy Loss Devices	John Diamond	01/04/2016 02:15 PM
11021	VME Intensity Monitor	Feature	Assigned	Normal	Use Trace for logging & error reporting	John Diamond	01/02/2016 10:07 PM
11019	VME Intensity Monitor	Milestone	Accepted	Normal	Cycle devices for anub	John Diamond	12/21/2015 11:31 AM
11011	VME Intensity Monitor	Feature	Assigned	Normal	Normalized BEL devices	John Diamond	12/14/2015 11:47 AM
11028	VME Intensity Monitor	Task	New	Normal	Support beam before extraction sample	John Diamond	11/30/2015 04:38 PM

#	Project	Tracker	Status	Priority	Subject	Assignee	Updated
10990	Timing Library	Task	Accepted	Normal	Support for Charlie's evttrig library	John Diamond	11/28/2015 09:45 PM
9608	inst-bpm	Milestone	New	Normal	Down Converter Test	John Diamond	11/24/2015 02:23 PM
9636	inst-bpm	Bug	Assigned	Normal	Timing board stops generating TCLK interrupts	John Diamond	11/24/2015 02:23 PM
9383	inst-bpm	Task	New	Normal	Implement timer-triggered commands	John Diamond	11/24/2015 02:22 PM
10985	VME Intensity Monitor	Feature	Assigned	Normal	Injection and Extraction Cycle Devices	John Diamond	11/23/2015 03:08 PM
10946	VME Intensity Monitor	Task	Resolved	Normal	ACNET settings for ADC parameters	John Diamond	11/23/2015 11:34 AM
10966	VME Intensity Monitor	Feature	Assigned	Normal	Reset sum on disarm event + delay	John Diamond	11/20/2015 10:33 AM
10429	Recycler BPM	Milestone	Accepted	Normal	New P1 Line BPMs	John Diamond	10/09/2015 01:06 PM
10262	VME Intensity Monitor	Task	Assigned	Normal	Configure MDAT frames	John Diamond	10/05/2015 02:50 PM
9391	VME Intensity Monitor	Feature	Assigned	Normal	Implement MDAT Receiver	John Diamond	09/23/2015 04:27 PM
10199	VME Intensity Monitor	Task	Assigned	Normal	Refactor to use the PMCUCDTimingSystem class from the timing library	John Diamond	09/21/2015 10:37 AM
9889	rbpm	Task	Assigned	Normal	Verify test node	John Diamond	09/18/2015 11:42 AM
9883	rbpm	Milestone	Assigned	Normal	Setup test node	John Diamond	09/18/2015 10:25 AM
9888	rbpm	Task	Assigned	Normal	Add test node to R143	John Diamond	09/18/2015 10:25 AM
10032	VME BPM	Bug	New	Normal	VP94 and HP103 show identical data when plotted together	John Diamond	09/03/2015 11:35 AM
9470	inst-bpm	Task	New	Normal	Find a replacement for the CT VX405/04x SBC	John Diamond	08/13/2015 01:53 PM
9610	inst-bpm	Task	New	Normal	Test command list for reading out down converter	John Diamond	07/23/2015 04:56 PM
9635	inst-bpm	Task	Feedback	Normal	Make Synoptic pages for displaying DDC data	John Diamond	07/22/2015 01:14 PM
9686	inst-bpm	Task	New	Normal	Rename the IDLE command the EXIT command.	John Diamond	07/21/2015 08:20 PM
9683	inst-bpm	Milestone	New	Normal	StateMachine refactor	John Diamond	07/21/2015 08:19 PM
9017	inst-bpm	Milestone	Accepted	Normal	State Machine subsystem	John Diamond	07/21/2015 08:16 PM
9153	inst-bpm	Task	New	Normal	Design ACNET interface for command lists	John Diamond	07/21/2015 08:16 PM
9685	inst-bpm	Task	New	Normal	Move the Command and CommandList edit() methods into their own class	John Diamond	07/21/2015 08:14 PM
9684	inst-bpm	Task	New	Normal	Use the GoF State pattern in StateMachine class	John Diamond	07/21/2015 08:11 PM
9385	inst-bpm	Task	New	Normal	State Machine subsystem test	John Diamond	07/20/2015 04:03 PM
9658	inst-bpm	Task	New	Normal	Instrument bpmd control commands and display their execution time in syslog	John Diamond	07/20/2015 04:03 PM
9665	VME BPM	Task	New	Normal	Move scaling into the frontend	John Diamond	07/17/2015 02:49 PM
9613	inst-bpm	Bug	Resolved	Normal	btimemod_device_release does not release alarm interrupt handler	John Diamond	07/14/2015 09:55 AM
9609	inst-bpm	Task	New	Normal	bpmcli command for loading the booster frequency curve from file	John Diamond	07/13/2015 04:24 PM
9250	inst-bpm	Task	Assigned	Normal	Execute CommandLists	John Diamond	07/09/2015 04:29 PM
9358	VME BPM	Task	New	Normal	Add nodes to save list	John Diamond	07/06/2015 02:05 PM

#	Project	Tracker	Status	Priority	Subject	Assignee	Updated
9280	inst-bpm	Bug	New	Normal	Turn off interrupts when module is removed.	John Diamond	06/23/2015 01:55 PM
9013	inst-bpm	Task	Accepted	Normal	Refactor pointer usage to smart pointers	John Diamond	06/10/2015 04:51 PM
9101	inst-bpm	Milestone	New	Normal	adc250x12xs VXS interface	John Diamond	06/10/2015 02:35 PM
8558	VME Intensity Monitor	Bug	Feedback	Normal	BBB devices are returning stale data	John Diamond	06/09/2015 02:30 PM
9014	inst-bpm	Task	Accepted	Normal	Booster frequency curve	John Diamond	06/02/2015 04:38 PM
8826	Image Tool	Feature	New	Normal	Camera Ordering	John Diamond	05/27/2015 08:40 PM
8947	Image Tool	Feature	New	Normal	Device List in Meta	John Diamond	05/27/2015 08:12 PM
8274	Image Tool	Bug	Accepted	Normal	Incorrect amplitude scaling on ROI	John Diamond	05/15/2015 02:03 PM
7065	Image Tool	Bug	Resolved	Normal	Error notifications on multi-screen displays	John Diamond	05/15/2015 02:00 PM
6980	Image Tool	Bug	Resolved	Normal	Live Images not working	John Diamond	05/15/2015 01:17 PM
8275	Image Tool	Feature	New	Normal	Saturated Pixels incorrect on Background Subtraction	John Diamond	04/08/2015 08:14 AM
9088	inst-bpm	Bug	New	Low	BPMDRO does not release on exit	John Diamond	06/10/2015 11:04 AM