

## Production Operations Management Service (POMS) - Feature #19434

Use the Exp Software Version to tell POMS which version of the experiment's code would be loaded in the job.

03/19/2018 03:26 PM - Anna Mazzacane

<b>Status:</b>	Closed	<b>Start date:</b>	03/19/2018
<b>Priority:</b>	Low	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	100%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	v3_1_0	<b>Spent time:</b>	0.00 hour
<b>Scope:</b>	Internal	<b>Stakeholders:</b>	
<b>Experiment:</b>	-		

### Description

We need to coordinate the Exp Software Version we pass in the editor of POMS campaign and the setup of the version code to be loaded in the job.

### History

#### #1 - 03/20/2018 01:54 PM - Anna Mazzacane

- Priority changed from Normal to Low

#### #2 - 03/26/2018 02:41 PM - Anna Mazzacane

- Status changed from New to Resolved

#### #3 - 03/29/2018 02:45 PM - Marc Mengel

- % Done changed from 0 to 100

This is already there, you can use %(version)s in the launch command or in override flags to pass the version from the campaign into the launch script.

#### #4 - 04/16/2018 10:17 AM - Stephen White

- Parent task set to #19697

#### #5 - 04/16/2018 10:18 AM - Stephen White

- Parent task deleted (#19697)

#### #6 - 05/29/2018 10:31 AM - Stephen White

- Status changed from Resolved to Closed