

## artdaq - Bug #20404

### EventBuilders stop dataflow when there is a configured rootNetOutput module, but no Dispatcher running

07/23/2018 09:55 AM - Kurt Biery

<b>Status:</b> New	<b>Start date:</b> 07/23/2018
<b>Priority:</b> Low	<b>Due date:</b>
<b>Assignee:</b>	<b>% Done:</b> 0%
<b>Category:</b>	<b>Estimated time:</b> 0.00 hour
<b>Target version:</b>	<b>Co-Assignees:</b>
<b>Experiment:</b> -	
<b>Description</b>	
Messages from the EB log, run 2813 at protoDUNE:	
<pre>%MSG-i SharedMemoryReader: Early 23-Jul-2018 13:34:30 CEST JobSetup SharedMemoryReader.hh:110 SharedMemoryReader initialized with ParameterSet: module_label:"source" module_type:"DuneInput" re sume_after_timeout:true waiting_time:2.5e6 %MSG %MSG-e _DataSenderManager: DAQ 23-Jul-2018 13:34:30 CEST Booted DataSenderManager.cc:85 No destinations specified! %MSG %MSG-i FastCloning: RootOutput:normalOutput@Construction 23-Jul-2018 13:34:30 CEST ModuleConstru ction Initial fast cloning configuration (user-set): false %MSG 23-Jul-2018 13:35:00 CEST Opened output file with pattern "/data1/np04_raw_run%06r_##_dl2.root" %MSG-w _DataSenderManager: DAQ 23-Jul-2018 13:35:01 CEST Booted DataSenderManager.cc:403 Could not get destination for seqID 1, retrying. %MSG %MSG-w _DataSenderManager: DAQ 23-Jul-2018 13:35:01 CEST Booted DataSenderManager.cc:403 Could not get destination for seqID 1, retrying. %MSG %MSG-w _DataSenderManager: DAQ 23-Jul-2018 13:35:01 CEST Booted DataSenderManager.cc:403 Could not get destination for seqID 1, retrying. %MSG %MSG-w _DataSenderManager: DAQ 23-Jul-2018 13:35:01 CEST Booted DataSenderManager.cc:403 Could not get destination for seqID 1, retrying. %MSG %MSG-w _DataSenderManager: DAQ 23-Jul-2018 13:35:01 CEST Booted DataSenderManager.cc:403 Could not get destination for seqID 1. %MSG %MSG-e _DataSenderManager: DAQ 23-Jul-2018 13:35:01 CEST Booted DataSenderManager.cc:427 calcDest returned invalid destination rank -1111! This event has been lost: 1 %MSG %MSG-w _DataSenderManager: DAQ 23-Jul-2018 13:35:04 CEST Booted DataSenderManager.cc:403 Could not get destination for seqID 4, retrying. %MSG %MSG-w _DataSenderManager: DAQ 23-Jul-2018 13:35:04 CEST Booted DataSenderManager.cc:403 Could not get destination for seqID 4, retrying. %MSG %MSG-w _DataSenderManager: DAQ 23-Jul-2018 13:35:04 CEST Booted DataSenderManager.cc:403 Could not get destination for seqID 4, retrying. %MSG %MSG-w _DataSenderManager: DAQ 23-Jul-2018 13:35:04 CEST Booted DataSenderManager.cc:403 Could not get destination for seqID 4. %MSG %MSG-e _DataSenderManager: DAQ 23-Jul-2018 13:35:04 CEST Booted DataSenderManager.cc:427 calcDest returned invalid destination rank -1111! This event has been lost: 4</pre>	

%MSG

%MSG-w \_DataSenderManager: DAQ 23-Jul-2018 13:35:04 CEST Booted DataSenderManager.cc:403  
Could not get destination for seqID 16, retrying.

%MSG

%MSG-w \_DataSenderManager: DAQ 23-Jul-2018 13:35:04 CEST Booted DataSenderManager.cc:403  
Could not get destination for seqID 16, retrying.

## History

---

### #1 - 07/23/2018 04:14 PM - Ron Rechenmacher

- *Priority changed from Normal to Low*

At cern, and for the time being, online monitoring is going to be done from files. The rootNetOutput config is to be removed from the eventbuilder configs, at least for the time being.