

JobSub - Feature #23241

Make Rapid Code Distribution feature configurable by group

09/09/2019 11:00 AM - Shreyas Bhat

| | | | |
|--|-------------------|-------------------------|-------------------|
| Status: | Closed | Start date: | 09/09/2019 |
| Priority: | Normal | Due date: | |
| Assignee: | | % Done: | 0% |
| Category: | JobSub Server RPM | Estimated time: | 0.00 hour |
| Target version: | | Spent time: | 0.00 hour |
| Stakeholders: | | | |
| Description | | | |
| <p>Originally, when we were planning on introducing the Rapid Code Distribution service to jobsub, the idea was to have <i>all</i> experiments use it and <i>ONLY</i> it in the future. The <code>--use-cvmfs-dropbox</code> option was only meant to be temporary.</p> <p>It has come to our attention that MARS will, for security reasons, need to still use resilient. So the best way to handle this is to keep resilient, but have the default dropbox mode be to use Rapid Code Distribution. Then, if we make this configurable in the <code>.ini</code> file by group, we could set the default for the MARS groups as resilient.</p> | | | |
| Related issues: | | | |
| Is duplicate of JobSub - Feature #23234: make default <code>--use-cvmfs-tarball</code> beh... | | Work in progress | 09/04/2019 |

History

#1 - 09/09/2019 12:50 PM - Shreyas Bhat

Oops. Dennis already opened this. Will close this out.

#2 - 09/09/2019 12:50 PM - Shreyas Bhat

- Is duplicate of Feature #23234: make default `--use-cvmfs-tarball` behavior configurable by group added

#3 - 09/09/2019 12:50 PM - Shreyas Bhat

- Status changed from New to Closed