

## GlideinWMS - Bug #25438

### Reconfig error if some variables are set to a value different form the default

01/26/2021 03:38 PM - Marco Mambelli

<b>Status:</b> New	<b>Start date:</b> 01/26/2021
<b>Priority:</b> High	<b>Due date:</b>
<b>Assignee:</b>	<b>% Done:</b> 0%
<b>Category:</b>	<b>Estimated time:</b> 0.00 hour
<b>Target version:</b> v3_7_4	<b>Spent time:</b> 0.00 hour
<b>First Occurred:</b>	<b>Stakeholders:</b>
<b>Occurs In:</b>	

#### Description

Factory reconfig returns an error if some variables are set in the global section to a value different from the default one. E.g. CONDOR\_VERSION, defaulting to 'default', when set to something else gives error.

```
<attr const="False" glidein_publish="False" job_publish="False" name="CONDOR_VERSION" parameter="True" publish="True" type="string" value="8.9" />
```

...

```
[root@fermicloud110 ~]# fareconfig
```

```
Using default factory config file: /etc/gwms-factory/glideinWMS.xml
```

```
Reconfiguring the factoryError parsing attr main[CONDOR_VERSION]: Key 'CONDOR_VERSION' already exists
```

```
[FAILED]
```

If the variable is set to const="True" (different from the preset default), then there is no error but 2 versions of the variable are sent to the glidein, causing confusion

#### History

#1 - 03/09/2021 08:04 PM - Marco Mambelli

- Target version changed from v3\_7\_3 to v3\_7\_4