

## ds50daq - Feature #4363

### Allow art modules to be disabled/enabled [art-related]

07/17/2013 01:21 PM - Kurt Biery

<b>Status:</b>	New	<b>Start date:</b>	07/17/2013
<b>Priority:</b>	High	<b>Due date:</b>	07/31/2013
<b>Assignee:</b>	Kurt Biery	<b>% Done:</b>	0%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	NeededEnhancements		
<b>Description</b>			
<b>Related issues:</b>			
Related to artdaq - Feature #5960: Make use of the ability to reconfigure mod...		<b>Closed</b>	<b>04/18/2014</b>

#### History

##### #1 - 07/17/2013 01:23 PM - Kurt Biery

- Due date set to 07/31/2013
- Assignee set to Kurt Biery
- Priority changed from Normal to High

One model for supporting the reconfiguration of the art thread in ds50daq/artdaq is to provide the ability to enable or disable paths. In this model, the superset of all interesting configured paths would be specified at startup, and the ones of interest at any given time would be enabled.

This Issue is mainly a placeholder in the ds50daq project to reference the primary issue which is [#4361](#) in the art project.

##### #2 - 04/23/2014 01:38 PM - Kurt Biery

- Target version set to NeededEnhancements