

## IF Data Handling Client Tools (ifdhc) - Feature #4547

### Environment variable for extra srmcp flags, etc.

08/15/2013 11:25 AM - Marc Mengel

<b>Status:</b>	Closed	<b>Start date:</b>	08/15/2013
<b>Priority:</b>	High	<b>Due date:</b>	
<b>Assignee:</b>	Marc Mengel	<b>% Done:</b>	100%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	v1_2_5	<b>Spent time:</b>	0.50 hour
<b>Description</b>			
For each copy mode we have, we should have an environment variable to pass extra flags; this is largely for testing when it's too slow to turn-around a new compiled ifdh binary; but also for particular sites where we have to specify active/passive, or odd versions, etc.			

### History

---

**#1 - 08/15/2013 11:29 AM - Marc Mengel**

- Tracker changed from Bug to Feature
- Description updated

**#2 - 08/15/2013 11:44 AM - Marc Mengel**

- Status changed from New to Assigned

**#3 - 10/03/2013 05:30 PM - Marc Mengel**

- Status changed from Assigned to Resolved

Fixed in [33e892178d6343c6934d979417fc467315797aaf](#) -- variables are

```
IFDH_DD_EXTRA
IFDH_CP_EXTRA
IFDH_SRM_EXTRA
IFDH_GRIDFTP_EXTRA
```

which are put into the command line arguments of the various transfer types commands.

**#4 - 10/03/2013 05:31 PM - Marc Mengel**

- % Done changed from 0 to 100

**#5 - 10/09/2013 10:40 AM - Marc Mengel**

- Status changed from Resolved to Closed